

# CHAD HOSPITAL, CMC VELLORE.

## Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.No	Particulars	
1.	(i) Particulars of the Occupier	
	Name of the authorised person (occupier or operator of facility)	Ebinezar Sundarraj
	(ii) Name of HCF or CBMWTF	CHAD HOSPITAL.
	(iii) Address of Correspondence	O/o The General Superintendent, #3 Ida Scudder Road, CMC, Vellore- 632004.
	(iv) Address of Facility	CHAD HOSPITAL,S.F No 166B, 168/B, Palavansathu Village, Vellore Taluk, Vellore District.
	(v) Tel. No & Fax. No	0416-2282001 & 0416-2232035
	(vi) E-mail ID	<a href="mailto:gs@cmcvellore.ac.in">gs@cmcvellore.ac.in</a>
	(vii) URL of website	www.cmch-vellore.edu
	(viii) GPS coordinates of HCF or CBMWTF	Not Applicable.
	(ix) Ownership of HCF or CBMWTF	Christian Medical College Vellore Association.
	(x) Status of authorization under the Bio-Medical Waste (Management and Handling ) Rules	Authorization No: 17BAD7564336 Dated: 13/03/2017 Valid up to:30/06/2017
(xi) Status of consent under Water Act and Air Act	Valid up to: 30/06/2017.	
2.	Type of Health Care Facility	
	(i) Bedded Hospital	No. of Beds: 135
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	Not Applicable.
	(iii) License number and its date of expiry	Not Applicable.
3.	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	Ken Bio-links - Common Bio-medical Waste Treatment Facility.
	(ii) No of beds covered by CBMWTF	Ken Bio-links - Common Bio-medical Waste Treatment Facility.
	(iii) Installed treatment and disposal capacity of CBMWTF	Ken Bio-links - Common Bio-medical Waste Treatment Facility.
	(iv) Quantity of Biomedical waste treated or disposed by CBMWTF	Ken Bio-links - Common Bio-medical Waste Treatment Facility.

## CHAD HOSPITAL, CMC VELLORE.

4.	Quantity of waste generated or disposed in Kg per annum (on monthly basis)	Yellow Category: 1313 kg/month.			
		Red Category: 555 kg/month.			
		White:			
		Blue Category: 182 kg/month.			
		General Solid Waste (Garbage) : 4471 kg/month			
5.	Details of the storage, treatment, transportation, processing and Disposal facility				
	(i) Details of the on-site storage facility	Size:			
		Capacity:			
		Provision of on-site : (Cold Storage or any other provision)			
	(ii) Details of the treatment or disposal facilities	Type of Treatment	No of units	Capacity kg/day	Quantity treated or disposed in kg per annum
		Incinerator Plasma pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or Destroyer Sharps encapsulation or Concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorised recyclers after treatment in kg per annum.	Not Applicable.			
	(iv) No of vehicles used for collection and transportation of biomedical waste.	3.			
(v) Details of incineration ash and ETP Sludge generated and disposed during the treatment of wastes in kg per annum.	Not Applicable.				
(vi) Name of the Common Bio-medical Waste Treatment Facility Operator through which wastes are disposed of	Ken Bio-links - Common Bio-medical Waste Treatment Facility.				
(vii) List of member HCF not handed over bio-medical waste.	NIL				
6.	Do you have bio-medical waste management committee? If yes, attach minutes held during in	YES, Minutes enclosed.			

## CHAD HOSPITAL, CMC VELLORE.

	the reporting period.		
7.	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW management		79 per annum
	(ii) Number of personnel trained		2524 per annum
	(iii) Number of personnel trained at the time of induction		1167 per annum
	(iv) Number of personnel not undergone any training so far		NIL
	(v) Whether standard manual for training is available?		Yes.
8.	Details of accident occurred during the year		
	(i) Number of accident occurred		NIL
	(ii) Number of persons affected		NIL
	(iii) Remedial action taken (please attach details if any)		NIL
	(iv) Any Fatality occurred, details.		NIL
9.	Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards?		
	Not Applicable.		
	Details of continuous online emission monitoring systems installed		
	Not Applicable.		
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
	Standards are within the parameters.		
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
	Standards are within the parameters.		
12.	Any other relevant information.		
	(Air Pollution Control Devices attached with the incinerator)		

Certified that the above report is for the period from January 2016 to December 2016

.....  
 ...

Name and Signature of the Head of  
the Institution

Date: 30.06.2017

Place: Vellore