

Form IV
(See Rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No : 52697829

Period : 2022-2023

1. Particulars of the Occupier	
(i) Name of the authorized person (Occupier or operator of facility):	<i>RENI CHARLES</i>
(ii) Name of HCF or CBMWTF:	<i>RUHSA DEPARTMENTAL HOSPITAL</i>
(iii) Address for Correspondence:	<i>S.F.No.154,155/1,155/2,155/3,158, 131/2A & 128/2 PALAYAKRISHNAPURAM VILLAGE, K.V.KUPPAM TALUK, VELLORE DISTRICT</i>
(iv) Address of Facility:	<i>S.F.No.154,155/1,155/2,155/3,158, 131/2A & 128/2 PALAYAKRISHNAPURAM VILLAGE, K.V.KUPPAM TALUK, VELLORE DISTRICT</i>
(v) Tel. No.:	<i>9842764250</i>
(vi) Fax. No.:	<i>0416 - 2282035</i>
(vii) E-mail ID:	<i>environeng@cmcvellore.ac.in</i>
(viii) URL of Website:	<i>https://www.cmch-vellore.edu/</i>
(ix) GPS coordinates of HCF of CBMWTF:	<i>latitude 12.951186048596501 N Decimal Degrees Longitude 78.971947464393E Decimal Degrees</i>
(x) Ownership of HCF or CBMWTF:	<i>Private</i>
(xi) Status of Authorization under the BMW (Management and Handing) Rules:	<i>Authorization No.: 20BAZ9700281 Valid Upto:</i>
(xii) Status of Consents under Water Act and Air Act.:	<i>Valid Upto: 31/03/2025</i>
2. Type of Health Care Facility	
HCF/CBMWTF Type:	<i>HCF</i>
(i) No. of Beds(for Bedded Hospital):	<i>70.0</i>
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	<i>NIL</i>
(iii) Licence Number:	<i>00</i>
(iv) Licence date of expiry:	
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	<i>Yellow Category: 2364 Red Category: 1462 White Category: 492 Blue Category: 240 General Solid Waste: 45625</i>
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details	
(i) Details of the on-site storage facility:	<i>Size: 15 Capacity: 150 Provision of on-site storage: 6.0 M (L) X 2.5 M (W)</i>

(ii) Disposal Facility:	<table border="1"> <thead> <tr> <th>Type of Treatment Equipment</th> <th>Number of Units</th> <th>Capacity(Kg/day)</th> <th>Quantity Treated or Disposed(Kg/annum)</th> </tr> </thead> <tbody> <tr> <td colspan="4" style="text-align: center;"><i>List is Empty</i></td> </tr> </tbody> </table>	Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)	<i>List is Empty</i>			
	Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)					
<i>List is Empty</i>									
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0.0								
(iv) No of vehicles used for collection and transportation of BMW:	03								
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	<table border="1"> <thead> <tr> <th>Type of waste</th> <th>Quantity Generated</th> <th>Where disposal</th> </tr> </thead> <tbody> <tr> <td colspan="3" style="text-align: center;"><i>List is Empty</i></td> </tr> </tbody> </table>	Type of waste	Quantity Generated	Where disposal	<i>List is Empty</i>				
	Type of waste	Quantity Generated	Where disposal						
<i>List is Empty</i>									
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Ms. KEN BIO LINKS PVT LTD								
5. Do you have BMW management committee:	no								
6. Training Conducted on BMW Details									
(i) Number of training conducted on BMW Management:	15								
(ii) Number of personnel trained:	225								
(iii) Number of personnel trained at the time of induction:	80								
(iv) Number of personnel not undergone any training so far:	00								
(v) Whether standard manual for training is available:	no								
(vi) Any other information:	NIL								
7. Details of the accident occurred									
(i) No. of accident occurred:	00								
(ii) Number of the persons affected:	00								
(iii) Remedial Action taken:	NIL								
(iv) Any Fatality occurred, details:	NIL								
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	INCINERATOR NOT PROVIDED								
Details of Continuous online emission monitoring systems installed:	NOT APPLICABLE								
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	PARAMETERS ARE WITHIN THE STANDARDS								
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	PARAMETERS ARE WITHIN THE STANDARDS								
11. Any other relevant information:	INCINERATOR NOT PROVIDED								

Name and Signature of the Head of the Institution

Date :06/05/2023

Place : Vellore